

EPSON

Epson RC+ 8.0 Option Vibration Reduction Technology

Original instructions

© Seiko Epson Corporation 2024-2025

Rev.2
ENM253S7076F

Table of Contents

1. FOREWORD	5
1.1 FOREWORD	6
1.2 TRADEMARKS	6
1.3 Notation	6
1.4 Terms of Use	6
1.5 Manufacturer	6
1.6 Contact Information	6
1.7 Before Use	7
1.7.1 The Installation Folder for Epson RC+ 8.0	7
2. Overview	8
2.1 Vibration Reduction Technology	9
2.2 VR (Vibration Reading) Unit	10
2.3 Related Manuals	11
3. Safety	12
3.1 Conventions	13
3.2 Safety Precautions	13
3.3 Robot Safety	13
4. VRT Command Options	15
5. VR (Vibration Reading) Unit	16
5.1 Included Items	17
5.2 Configuration	17
5.3 System Requirements	17
5.3.1 Required software	17
5.3.2 Recommended specification	18
5.3.3 About Pre-required Software	18
5.4 Installing VR Unit	18
5.5 Connection with PC and Wiring Cables	19
5.6 Maintenance Parts List	21
6. Installing Software	22
6.1 Check the Version of Epson RC+ and Firmware	23

6.2 Enable VRT Option	23
6.2.1 Confirm that VRT Option is Enabled	23
6.3 Installing VR Software	24
6.3.1 Installation Contents:	25
6.3.2 Installation Steps	25
6.3.3 Install VR software	25
6.3.4 Other References	27
7. Read VRT Parameters and Confirm Vibration Reduction Effect	28
7.1 Change a Program	29
7.2 Preparation for VR Unit	30
7.3 Read VRT Parameters	31
7.4 Setting for VRT Parameters	35
7.5 Confirmation of Vibration Reduction Effect	36
7.6 Steps to read VRT parameters when wiring is difficult	38
7.7 Restrictions	43
8. Software Window Layout	44
8.1 Epson RC+ GUI (VRT Tab)	45
8.2 VR software	46
8.2.1 How to Activate	46
8.2.2 Common part	47
8.2.3 [Read VRT Parameter] Tab	48
8.2.4 [Short movement] Tab	51
8.2.5 Input Window for Motion Command	53
9. SPEL+ Command Reference	56
9.1 VRT	58
9.2 VRT Function	59
9.3 VRT_Clr	60
9.4 VRT_CPMotion	61
9.5 VRT_CPMotion Function	63
9.6 VRT_Def Function	64
9.7 VRT_Description	65
9.8 VRT_Description\$ Function	66
9.9 VRT_Label	67
9.10 VRT_Label\$ Function	68

9.11 VRT_Number Function	69
9.12 VRT_Set	70
9.13 VRT_Set Function	71
9.14 VRT_Trigger	72
10. SPEL+ Command	73
10.1 Example	74
10.2 SPEL+ Command Use Condition List	75
11. Troubleshooting	77
11.1 SPEL+ Error Messages	78
11.2 Troubleshooting VR Software Errors	78
11.3 VR Unit Confirmation	81
11.4 Confirmation of Saved Controller Condition	83

1. FOREWORD

1.1 FOREWORD

Thank you for purchasing our robot products.

This manual contains the information necessary for the correct use of Vibration Reduction Technology.

Please carefully read this manual and other related manuals when using this software.

Keep this manual in a handy location for easy access at all times.

The robot system and its optional parts are shipped to our customers only after being subjected to the strictest quality controls, tests, and inspections to certify its compliance with our high performance standards. Please note that the basic performance of the product will not be exhibited if our robot system is used outside of the usage conditions and product specifications described in the manuals.

This manual describes possible dangers and consequences that we can foresee. Be sure to comply with safety precautions on this manual to use our robot system safely and correctly.

1.2 TRADEMARKS

Microsoft, Windows, Windows logo, Visual Basic, and Visual C++ are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Other brand and product names are trademarks or registered trademarks of the respective holders.

1.3 Notation

Microsoft® Windows® 10 operating system

Microsoft® Windows® 11 operating system

In this manual, the above operating systems are referred to as Windows 10 and Windows 11, respectively. Windows 10 and Windows 11 are sometimes collectively referred to as Windows.

1.4 Terms of Use

No part of this instruction manual may be reproduced or reprinted in any form without express written permission.

The information in this document is subject to change without notice.

Please contact us if you find any errors in this document or if you have any questions about the information in this document.

1.5 Manufacturer

SEIKO EPSON CORPORATION

1.6 Contact Information

Contact information details are listed in the "Supplier" section in the following manual.

Note that the contact information may vary depending on your region.

"Safety Manual - Contact Information"

The Safety Manual is also available at the following site.

URL: <https://download.epson.biz/robots/>



1.7 Before Use

Before using this manual, be sure that you understand the following information. Installation of robots and robotic equipment should only be performed by qualified personnel in accordance with national and local codes.

Please carefully read this manual and other related manuals when using this software.

Keep this manual in a handy location for easy access at all times.

1.7.1 The Installation Folder for Epson RC+ 8.0

You can change the path for the installation folder for Epson RC+ 8.0 anywhere. This manual assumes that Epson RC+ 8.0 is installed in `C:\EpsonRC80`.

2. Overview

2.1 Vibration Reduction Technology

Vibration Reduction Technology (hereinafter referred to as VRT) is a function that reduces vibration due to robot motion.

VRT function is optional. VRT option's key is required to use.

The vibrations of the following targets are reduced by VRT function.

- Robot
- Hands
- Base table that the robot is mounted
- Image processing camera

Set VRT parameters by “VRT_Set” command or Epson RC+ GUI (up to 15 parameters)

VRT parameters are necessary for vibration reductions. The parameters need to be changed depending on the following situations change.

- Robot orientations (e.g., arm stretching / bending orientations)
- When the weight of hands or an object held by hand changes
- Condition or state of the base table

“VRT_Set” command sets “enable” or “disable” of the VRT function.

If the VRT function is “enabled”, robot motion is suppressed not to generate vibrations as much as possible. Therefore, robot motion path will be different depending on “enabled” or “disabled” of the VRT function. Also, motion time may take longer.

Note that the VRT function has the feature mentioned above. Make sure to “disable” the VRT function for motion that does not need to reduce vibrations.

When the VRT function is “enabled” and satisfying the following conditions, it will be “disabled” automatically. When the VRT function is not satisfying the “Conditions for disabling the VRT function” *1 as shown below, the VRT function will be “enabled” automatically.

Conditions for disabling the VRT function and motion commands	Note
Power Low	
Move, TMove, BMove, FCSMove	*2
Arc	
Arc3	
CVMove	
Jump3	
Jump3CP	
Continuous Jog	
Step Jog	

*1) Following situations are when the VRT function is not satisfying the “Conditions for disabling the VRT function.”:

- Switch from Power Low mode to Power High mode
- A motion command other than the command which automatically “disable” the VRT function is executed (e.g.: “Go” Command)

*2) When executing these commands, the VRT function is automatically “disabled” since path or speed requires high accuracy. (If giving high priority to low vibration, “enable” the VRT function by “VRT_CPMOTION” command.)

When using conveyer tracking or force control function, the VRT function is “disabled” automatically and cannot be used.

2.2 VR (Vibration Reading) Unit

To use the VRT function effectively, you need to understand generated vibration conditions exactly and set proper VRT parameters.

VRT parameters are necessary for vibration reductions. The parameters need to be changed depending on the following situations change.

- Robot orientations (e.g., arm stretching / bending orientations)
- When the weight of hands or an object held by hand changes
- Condition or state of the base table

You need to read the VRT parameters in the following situations:

- When installing the robot newly
- When changing the factory lines
- When changing the factory layout

This option consists of software (VR software) and a vibration reading unit (VR unit) that is necessary for understanding vibration conditions. Understand the vibration conditions and provide the system to output VRT parameters.

You can read the VRT parameters by the following steps:

1. Install the VR unit directly to vibrating position.
2. Connect the VR unit to PC with USB cable.
3. Add “VRT_Trigger” command to the motion program which generates vibrations.
4. Start the VR software.
5. Set to waiting for trigger condition.
6. Execute the program added “VRT_Trigger” command by Epson RC+.

You can check the improvement of the vibration conditions by the following steps.

1. Add VRT command to motion program by using parameter values read by VR software
2. Execute the program again and measure by the VR software.

Make sure to satisfy the following conditions to read the VRT parameters.

- Connected to the robot controller (controller unit, drive unit)
(RC90, RC700, RC700DU, RC700-A, RC700DU-A, RC700-D, RC700-E, RC800-A)
- The VR unit is connected to PC with USB cable.
- VRT option is enabled.
- “VRT_Trigger” command is added to the motion program which generates vibrations.

Vibration reduction of the VRT function effectively works to the vibration right after the robot stops. When reading the parameters, the robot automatically stops for 1.5 seconds after stopping at measurement position of the robot motion.

After the parameters are added, make sure to delete the added “VRT_Trigger” command. If you forget to delete it, the robot will not stop for 1.5 seconds in front of the measurement position unless the VR software will be waiting for trigger condition.

If you switch ON/OFF of waiting for trigger condition of VR software during execution of the robot motion wrote “VRT_Trigger” command, additional stop function (1.5 seconds) will ON/OFF.

2.3 Related Manuals

Refer to the following related manuals along with this manual for using VRT.

- Epson RC+ User's Guide

This manual contains information on using the Epson RC+ Robot Control System.

- SPEL+ Language Reference Manual

This manual contains a complete description of all commands for the SPEL+ language.

- Each Manipulator Manual

Each Manipulator manual contains information on our robots.

3. Safety

Please read this manual before using this option.

Keep this manual handy for easy access at all times and reread it when you find anything unclear.

3.1 Conventions

The following symbols are used in this manual to indicate important safety information. Be sure to read the descriptions shown with each symbol.

WARNING

This symbol indicates an imminently hazardous situation which, if operation is not performed properly, will result in death or serious injury.

WARNING

This symbol indicates a potentially hazardous situation which, if operation is not performed properly, could result in an injury due to electric shock.

CAUTION

This symbol indicates a potentially hazardous situation which, if operation is not performed properly, may result in a minor or moderate injury or in property damage only.

3.2 Safety Precautions

WARNING

- Do not use the product for the purpose to ensure safety.
- The product must be used within the conditions described in this manual. Using the product in an environment that exceeds the specified environmental conditions may not only shorten the life cycle of the product but may also cause serious safety problems.

CAUTION

- Purchase VR unit and USB cables from our suppliers.
Note that the VR unit and the USB cables of other manufacturers are not included in the warranty.
- If executing “VRT_Trigger” command by VR software during waiting for trigger condition, the waiting time is added to normal motion. Click the [Stop] button of the VR software to cancel the wait condition and back to normal motion.

3.3 Robot Safety

Whenever you are working with robots or other automation equipment, safety must be the top priority. Epson RC+ system has many safety features built in, such as E-Stop and a Safety Guard Input. These safety features should be used when designing the robot cell.

For safety information and guidelines, refer to the following manual.

- "Safety Manual"
- "Robot Controller Manual"
- "Manipulator Manual"

4. VRT Command Options

VRT option license is set to the robot controller.

The following version is required for the VRT option of Epson RC+ 8.0.

- Epson RC+ 8.0: Ver. 8.0.0 or later
- Firmware: Ver.7.5.4.x or later

Included items when VRT option purchased:

- VRT option license
- EPSON RC+ 7.0 Robot Control System Installation DVD For VRT Option (The DVD is for RC+ 7.0 only. For Epson RC+ 8.0, the installer is included with Epson RC+ 8.0. When you order this version, DVD is not supplied as it is not required.)

5. VR (Vibration Reading) Unit

VRT option license should be setup on the robot system controller that you want to read VRT parameters and enable VRT functions by using Vibration Reading unit (hereinafter referred to as VR unit).


If the VRT option license is not setup in the connected controller, the measurement by the VR unit is disabled.

The following version is required for the VR software.

- Epson RC+ 8.0: Ver. 8.0.0 or later
- Firmware: Ver.7.5.4.x or later

5.1 Included Items

- VR unit




Symbol	Name	Function
a	USB MicroB connector	Connector to connect with USB cable
b	Screw hole	Screw hole to install the VR unit
c	Installation surface	-

- VR unit screw (hexagon strut +nut/M3, M4×1 for each)
- USB cable (4m)
- EPSON RC+ 7.0 Robot Control System Installation DVD For VRT Option (The DVD is for RC+ 7.0 only. For Epson RC+ 8.0, the installer is included with Epson RC+ 8.0. When you order this version, DVD is not supplied as it is not required.)

5.2 Configuration

The illustration below shows the system configuration using the VR unit.



After reading the parameters and checking the effect of VRT, remove the VR unit and USB cable immediately. Do not operate the robot continuously with connecting the VR unit. (It is not a flex resistance USB cable. Parameters cannot be read unlimitedly.)

5.3 System Requirements

5.3.1 Required software

- Supported OS : Windows 10, Windows 11

- Epson RC+ 8.0 Ver. 8.0.0 or later
- VR software

5.3.2 Recommended specification

We recommend using PC that satisfies the following conditions:

OS	Windows10 64 bit version (Version1607 or later) Windows11 64 bit version (Except Windows10S, Windows10 IoT Core and Windows11 SE)
CPU	Core i5 or higher (Models released in 2017, 8th generation or later)
Memory	8 GB or more
Graphic	DirectX 12 or later
Software	Microsoft .Net Frameworks 4.5 or more

5.3.3 About Pre-required Software

When connecting the VR unit and PC with USB cable, USB driver manufactured by FTDI is necessary.

If you required the driver, install it in one of the following ways:

- Update the driver in at the Windows Device Manager (Automatically update drivers over the Internet is recommended.)
- Go to the FTDI Ltd. web site (www.ftdichip.com/Drivers/VCP.htm) then download and install the appropriate driver for your OS

5.4 Installing VR Unit

To read the VRT parameters accurately, install the VR unit to vibrating position to check the conditions. If the VR unit is installed on a position where generates little vibration, incorrect parameters will be output or output parameters will not be stable.

Use the following items to install the VR unit:

- Double-Sided Tape
- Screws


Installation by using double-sided tape

1. Attach the double-sided tape directly to installation surface of VR unit.
2. Attach the VR unit directly to vibrating position (flat surface).
3. Check that the attached unit does not move to both sides.

KEY POINTS

If the adhesion of the double-sided tape is too weak, the measurement accuracy may decrease. Also, if it is too strong, the painted surface of the vibration object may be peeled. Make sure to check the adhesion before using the double-sided tape.

Use “normal type” of the double-sided tape for commercialized product.



Symbol	Name
a	Double-sided tape
b	Installation surface

Installation by using screws

1. Mount the screw* to the screw hole of the vibrating position. Firmly tightening it by using spanner.


* Screws (M3, M4×1) are included. Use proper screw for your screw hole.

2. Screw and fix the tightened screw at step 1 to the screw hole of the VR unit.

3. Fix the VR unit tightly with the nut by using spanner.

KEY POINTS

Screw the VR unit approximately three times to the fixed screw at the step 1. Make sure that the VR unit is stable and does not move or rotate.



Symbol	Name
a	Nut
b	Screw (hexagon strut)
c	Installation surface

5.5 Connection with PC and Wiring Cables

After installing the VR unit, connect the VR unit to PC with USB cable.

(Support for USB 3.0 , 2.0 , 1.1)

USB cable terminal



Symbol	Description
a	Micro B
b	Type A
①	To VR unit
②	To PC


To read the VRT parameters accurately, make sure not to apply vibrations except generated vibrations. Fix the wirings at 150 to 200mm from the terminal by using the tape or cable tie.

Note

- To connect the VR unit with PC, you can use the general USB cables (Type A – Micro B) other than attached ones. However, be sure to use products complying with the industrial standards or noise resistant USB cable. If you use USB cable (office use product), it may cause communication error and may not offer the proper performance.
- Make sure to use USB cable that can execute data transfer. Be careful since some of general USB cables are only for supplying power.
- Target of the measurement is only one VR unit which set COM port by VR software. It is not possible to process more than one VR unit simultaneously.
- After reading the parameters and checking the effect of VRT, remove the VR unit and USB cable immediately. Do not operate the robot continuously with connecting the VR unit. (It is not a flex resistance USB cable. Parameters cannot be read unlimitedly.)

How to check USB COM port number of VR unit

1. Install the VR unit to vibrating position
2. Connect the VR unit to PC with USB cable.
3. Click Windows-[Start] menu-[Run].
4. Input “devmgmt.msc” to the [Name] box.
Display the device manager.
5. Expand the [Ports (COM & LPT)] tree.



COM port number of the VR unit is displayed after the COM.

If more than one port numbers are already displayed, disconnect and connect the USB cable of the VR unit and check the number.

5.6 Maintenance Parts List

Please contact us when you purchase maintenance parts described below.

Name	Code	Note
Vibration Reading unit	2193072	Vibration Reading Unit
USB connection cable for Vibration Reading unit	2193094	USBC4M-TypeA-MicroB-01

6. Installing Software

VRT is paid option. Each controller needs 1 license.

When VRT option is installed to the control unit (RC700 / RC700-A), VRT will be available in robots (four robots at the maximum) connected to the drive unit (RC700DU).

You must have the authority of Windows Administrator to install VRT option.

When you purchased VRT option and enabled it, setting windows of VRT or options are displayed on Epson RC+. The following describes steps to install software and enable the option.

6.1 Check the Version of Epson RC+ and Firmware

Before using VRT option, make sure to check the version of Epson RC+ and controller firmware.

If the version of installed software is older than the following, refer to the manual to update the software.

Epson RC+ 8.0 Ver.8.0.0

Refer to:

- “Epson RC+ 8.0 User’s Guide - Appendix B: Epson RC+ 8.0 Software”

Firmware of Controller Ver.7.5.4.x

Refer to:

- “Robot Controller RC700 series Maintenance Manual - Firmware Update”
- “Robot Controller RC700-D Manual - Installation - Firmware Update”
- “Robot Controller RC700-E Manual - Upgrading Firmware”
- “Robot Controller RC90 series Maintenance Manual - Firmware Update”
- “Robot Controller RC800-A Manual - Upgrading Firmware”

For detail information on system to use VRT option or software version, refer to the following.

- [VRT Command Options](#)
- VR (Vibration Reading) Unit - [System Requirements](#)

6.2 Enable VRT Option

The procedure for enabling the VRT option differs depending on the Controller series.

For details, refer to the following manual:


“Epson RC+ 8.0 User's Guide - Installing Controller Options”

6.2.1 Confirm that VRT Option is Enabled

When VRT option is installed, you can edit VRT data on Epson RC+.


Follow the steps below and confirm that the option is installed properly.

1. Select Epson RC+ menu-[Tools]-[Robot Manager].
2. Confirm the [VRT] tab.



If the [VRT] tab is not displayed, follow the steps below.

1. Select Epson RC+ menu-[Project]-[Properties]-[Operator Settings]-[Robot Manager].



2. Place a checkmark on [Select pages and options allowed for operators:]- [VRT Page].
3. Confirm that the [VRT] tab is displayed on Robot Manager.
4. If the [VRT] tab is still not displayed after performing the above steps, refer to the following sections.

“Epson RC+ 8.0 User's Guide - Installing Controller Options”

6.3 Installing VR Software

Install VR software and set references.

6.3.1 Installation Contents:

VR software has an installer. Following processes are operated automatically.

1. Install VR software
2. Install VR unit driver
3. Install evaluation software for VR unit
4. Create a folder : `C:\EpsonRC80\projects\VRT`

6.3.2 Installation Steps

1. Save Epson RC+ 8.0 from the Epson Robot Software Installer.

For details, refer to the following manual:

"Epson Robot Software Installer"


2. Unzip the Zip folder and right-click the following file:

Epson_RC+****\VRSW\VRUnit_install.bat (****: RC+ version)

Select [Run as administrator].

6.3.3 Install VR software


1. When performing [Installation Steps](#), the user account control window is displayed. Permission for changing the PC is asked on user account control window. Click the [Yes] button.
2. The following window is displayed. Click the [Next] button without any changes.



3. License agreement for instrument driver technology of NATIONAL INSTRUMENTS and IVI (Interchangeable Virtual Instrument) is displayed.


Confirm the contents.

Select [I accept the above 2 License Agreement[s]] and click the [Next] button.



4. Confirmation window of the installation contents is displayed.


Click the [Next] button.



5. The following window is displayed.

Installation of VR software has completed.

Click the [Next] button.



6. Window to request a restart of your computer is displayed.

Do not restart now. Click the [Restart Later] button.




6.3.4 Other References

The following process is operated when the software installation is completed.

- Create a folder : `C:\EpsonRC80\projects\VRT`

Then, as shown below, entering key is required. Press any key on the command window.



Now, installation has been completed. Then, restart your computer.

7. Read VRT Parameters and Confirm Vibration Reduction Effect

This chapter describes about the following contents:

- Steps to read VRT parameters
- Steps to set VRT parameters and realize vibration reduction

7.1 Change a Program

Identify the motion that generates vibrations. Then, add a measurement trigger command for reading parameter to the command generating vibrations.

1. Identify the motion that generates vibrations in program.

(You can confirm the effect easily by extracting motions that you want to improve vibrations from the program.)

2. Start Epson RC+ and display the sub window of the program.
3. Add “VRT_Trigger” command to the row of vibrating command.

Specify number (integer number from 1 to 4) after VRT_Trigger.

VRT parameters are displayed on the tab (specified number) of VR software.

Command example:

```
Go P1
```

↓

```
Go P1 VRT_Trigger 1
```

SPEL + program example:

Add VRT_Trigger command as shown in * below.

```
Function vibration_drive
  Motor On
  Power Low
  Weight 3
  Speed 10
  Accel 10, 10
  Go P1 'Start Point
  Wait 1
  Speed 100
  Accel 100, 100
  Power High
  Go P2 VRT_Trigger 1 *
  Wait 3
  Power Low
Fend
```

4. Execute the program added VRT_Trigger command and check that there are no errors. Also, check the robot motion to decide how to install the VR unit.

(No change in motions since the VR unit is not installed.)

VRT_Trigger Command and VR Software

VRT_Trigger has a function to send signals to VR software when the robot reaches to the destination point by the motion commands such as Go, Jump, and Move.

VR software measures residual vibrations. When “VRT_Trigger” command is added to the program, waiting time (1.5 seconds) is added automatically.

The functions of sending signals and adding the waiting time will be enabled when the following conditions are satisfied.

- Epson RC+ and robot are connected
- VR software is waiting for trigger condition

CAUTION

When releasing the waiting for trigger condition of VR software, VRT_Trigger command will be disabled. Additional waiting time will be reset and the robot operates normally.

7.2 Preparation for VR Unit

Install the VR unit and check motions of the program changed. Then, adjust cable length or installation position.

Refer to following for more information on program change procedures.

Change a Program

1. Install the VR unit at position where you want to improve vibrations.

Refer to following for more information.

Installing VR Unit

Position to be improved (Installation position)	Measurement target
Robot hands	Hand (workpiece included), robot, base table
Camera	Camera, camera installation parts, base table
Sensors in equipment	Base table, sensors in equipment Sensor installation parts in equipment
Base table	Base table

2. Display the [RUN] window of Epson RC+.

Operate the robot in forced low power and low speed motion.

At this time, consider how to wire the USB cable that connects the VR unit and PC.

3. Connect the USB cable to VR unit.
4. Fix the 150 to 200mm position from the connection terminal so that there is no influence of cables when measuring vibrations.
5. Connect another terminal of USB cable to PC.
6. Check the program motions again from Epson RC+ - [RUN] window.

Note the following since VR unit and PC is connected with cable.

- Operate the robot in forced low power and low speed motion.

- Make sure that the emergency stop switch can be held down immediately to stop the robot in case of emergency.


7.3 Read VRT Parameters

When you can confirm that the USB cable is wired properly during the robot motion, keep the connection with Epson RC+ without any change.


1. Activate the VR software by either way.

- With Epson RC+ 8.0, click the [Robot Manager]-[VRT]- [VRT Parameter reading] button.
- Activate " C : \EpsonRC80\exe\VR_SW.exe "

Start from Epson RC+ 8.0




Start from VR software



2. Select the port number of USB connection port that connects VR unit.


Refer to the following to check COM port number.

Connection with PC and Wiring Cables - How to check USB COM port number of VR unit



3. Specify how to connect the running Epson RC+ and the robot.

- Ethernet connection: input IP address.
- USB connection: input to IP address part is not required.




Now, setting has completed.

4. To read VRT parameters, set the condition to waiting for trigger.

Click the [Start] button to enable “VRT_Trigger” command of Epson RC+.

Also, [Waiting for trigger] will be lighted up in green.




5. Confirm that the [Waiting for trigger] is lighted up in green and execute the program by Epson RC+. The program to be executed is the program that added “VRT_Trigger” command according to the following steps.

Change a Program

6. When the robot reaches to the specified point of motion command that added “VRT_Trigger” command, the VR software measures vibration and output calculated VRT parameter values.

Write down the value showed on [VRT Parameter].




Now, VRT parameter value has read.

When executing program with adding more than one “VRT_Trigger” commands:

Every time program execution reaches to “VRT_Trigger” command, measurement is performed and parameters are calculated

Click the [Stop] button to stop the trigger for reading. When the [Stop] button is clicked, “VRT_Trigger” command set by Epson RC+ will be disabled.




How to measure again

Click an arrow icon ② on upper left and click the [Start] button. Condition will be the trigger start condition and measurement will start again.


7.4 Setting for VRT Parameters

- 1. Select [Tools]-[Robot Manager] on Epson RC+ menu and start Robot Manager.
- 2. Select the [VRT] tab.




- 3. Select row [1] in column [VRT].
- 4. Set the parameter read in the following procedure to [Param1].

Read VRT Parameters




If the target motion (motion that you want to reduce vibration) is CP motion, place a checkmark on the [Enable VRT during CP] box.



5. Click the [Apply] button and wait for a few seconds.

Read parameter is set in [VRT 1].

6. Change the [VRT] of [Robot Manager] to “1”.



By this operation, VRT 1 is applied to subsequent programs.

Now, settings of VRT parameters have completed.

7.5 Confirmation of Vibration Reduction Effect

You can confirm the VRT effect by using VR software.


Measure the same motion with enabling VRT and disabling VRT, then compare the results.

Refer to following for more information on enabling/disabling VRT.

Setting for VRT Parameters

1. Change the [VRT] of [Robot Manager] to “0”.

VRT function will be disabled.




2. Read parameters.

For details, refer to “[Read VRT Parameters](#)”.

3. Place a checkmark on the [Save graph] checkbox ①.

Upper graph is copied to the lower one.



4. Confirm that the graph is copied to the lower graph.

Remove the checkmark on the [Save graph] checkbox.

5. Change the [VRT] of [Robot Manager] to “1”.

VRT function will be enabled.

6. Click an arrow icon ② on upper left and click the [Start] button. Condition will be the trigger start condition and measurement will start again.

7. Vibration results of enabling VRT are displayed on upper stage.



From the above operation steps, you can check the improvement effects of vibration when enabling VRT.

Displacement on the graph is calculated by values measured in acceleration. It is not precise value

To measure precise value, use dedicated measurement equipment.

Use displacement value output from this function as rough guide to check VRT function.


If the improvement is not enough, add the values of read VRT parameter to Epson RC+ menu- [Robot Manager] – [VRT] tab – [Param 2] and click the [Apply] button. Then check the improvement again.

You can set two VRT parameters simultaneously.

7.6 Steps to read VRT parameters when wiring is difficult

If it is difficult to wire the USB cable between VR unit and PC due to reasons such as equipment layout, you can read parameters by shortening the robot moving distance.


As shown below, you can change the path P1 → P2 to P3 → P2 to measure.




Symbol	Description
a	Distance that the robot actually move
b	Distance that the robot move at measurement
c	Residual vibration is generated

Program that shortened the robot moving distance for reading parameters can be create by VR software.

1. Start Epson RC+ and connect to the robot.
2. Activate the VR software by either way.
 - With Epson RC+ 8.0, click the [Robot Manager]-[VRT]- [VRT Parameter reading] button.
 - Activate " C : \EpsonRC80\exe\VR_SW.exe "




3. Select the [Short movement] tab.



4. Input point number, motion command, speed, and acceleration of the destination point of vibration generated motion to all items of [Require fields] and [Detail data].


5. Click the [Generate program] button.

Program that shortened the robot moving distance is created.




At this time, do not install VR unit. Also, do not wire by USB cable.

6. Click the [After clicking "Generate program"] button to check the steps to create a program.




7. Click Epson RC+ menu- [File] - [Import..] to import the program file created in step 5.

C:\EpsonRC80\projects\VRT \VRT_smalldrive.prg



8. After do the [Project]-[Build], Select "VRT_A_Find_ExPnt" on the [Run] window and click the [Start] button.

Search the start position of motion that read parameters (motion that generates vibrations).



After confirming that the robot moves to the start position (P1 on the first figure of this section), click the [Start] button.

9. When clicking the [Start] button, a question whether the robot is at the start position is asked.

If the robot is at the start position, click [Y]. If the robot is not at the start position, click [N].

The program is halted if the robot is not at the start position. Move the robot to the start position and perform the step 8.


Search a point that is 5% from the destination point for the motion distance when vibration is generated. When the motion distance is 1mm or less, the point is 1mm position.

When the program ends, the setting has completed.

10. Refer to the following and install VR unit. Then, connect it to PC with USB cable.

Preparation for VR Unit

11. Click the [Stop] button to be the waiting for Trigger condition.



12. Click an arrow icon ② on upper left and execute software again.

13. Set the [Select VRU COM Port], [Robot Connect], and [IP Address].

Refer to following for more information.

Read VRT Parameters

14. Select the [Read VRT parameter] tab.
15. Click the [Start] button and set to be waiting for trigger condition.

The [Waiting for trigger] is lighted up in green.
16. The robot is at end position (P2) since VRT_A_Find_ExPnt is executed.

Select “VRT_ReadParam” on the [Run] window. After confirming that the robot is at the end position (P2), click the [Start] button. Read parameters.

7.7 Restrictions


After reading VRT parameters and confirming effect, make sure to delete the “VRT_Trigger” command from the program immediately. “VRT_Trigger” command is disabled unless the trigger of reading VRT parameters will be wait condition. However, delete the command to prevent unnecessary commands from being executed.

Only one VR unit can be connected. When you want to measure more than one robot or other vibrating positions, re-install the unit to measure.

8. Software Window Layout

8.1 Epson RC+ GUI (VRT Tab)

Select Epson RC+ menu-[Tools]-[Robot Manager]-[VRT] tab to display the following window. Set VRT parameters.






When selecting the [VRT] tab, all VRT parameter values that user can define are displayed.

If the [VRT] tab is not displayed, the VRT option’s key is not set. Refer to the following section to set the option’s key.

Enable VRT Option

Values set by Robot Manager are saved if the controller is turned OFF.

Items	Descriptions
Enable VRT during CP (VRT_CPMotion)	Set enable/disable of VRT function. (During CP motion) Default: disable
Label	Set labels of the selected VRT number. (optional) The label can be up to 32 half-width letters or 16 full-width letters. Characters that can be used are alphanumeric characters, Japanese syllabary symbols, kanji, and underscores (_). Numbers and underscores cannot be used as the first letter. An error will occur if you specify a label that has already been set (a label that is the same as another VRT number).
Param1	Set value of VRTParam1. Setting range: 100 to 500
Param2	Set value of VRTParam2. Setting range: 100 to 500 VRTParam2 value should be ±10% or more than VRTParam1.
Description	Set descriptions of the selected VRT number (optional)

Items	Descriptions
Apply	Set the current value. Processes take a few seconds.
Restore	Restore to previous value.
Clear	Delete all selected values.
Select VRT number 	When selecting the number set VRT parameter, VRT function of the number is applied to subsequent robot motion. However, if VRT command is executed during the motion, the setting takes priority 0: VRT OFF
VRT Parameter reading 	Start the VR software. Installing the VR software is necessary.
Test 	Start the VR Unit Check (Software). You can check if VR unit is not malfunctioning with VR Unit Check. Refer to following for more information. VR Unit Confirmation Installing the VR software is necessary.

8.2 VR software


The following items are necessary to use VR software.

- Epson RC+ 8.0 Ver. 8.0.0 or later
- VRT option
- VR unit


8.2.1 How to Activate

Use either way to activate VR software.

- With Epson RC+ 8.0, click the [Robot Manager]-[VRT]- [VRT Parameter reading] button.
- Activate " `C: \EpsonRC80\exe\VR_SW.exe` "





Symbol	Descriptions	Details
a	Common part	
b	Read parameters	[Read VRT Parameter] Receive signals from VRT_Trigger command and calculate VRT parameter by results of vibration measurement by VR unit.
c	Create short movement	[Short movement] When the wring is difficult, create a program to measure with short moving distance.
d	Start date of activation	
e	Start time of activation	







 **KEY POINTS**

If the VR software does not start properly, refer to the following section and troubleshoot the error.

[Troubleshooting VR Software Errors](#)






8.2.2 Common part

Items	Descriptions
During execution 	Show the program conditions. The following buttons are enabled during the program execution:
Not in execution 	<ul style="list-style-type: none">• Start button• Generate program button

Items	Descriptions
Pause 	Pause the program execution. Pause the program (waiting for trigger). (Same function as the Stop button.)
Select VR Unit COM Port 	Select and set COM Port number. COM Port number is set when connecting VR unit and PC with USB cable.
Robot Connect 	Select the connection of Epson RC+ and robot from below. 
IP Address 	Set IP address. Setting is required when selecting “Ethernet 1” on [Robot Connect].
Stop 	Release the waiting for trigger condition. (Same function as the Pause button.)


8.2.3 [Read VRT Parameter] Tab

Receive signals from VRT_Trigger command and calculate VRT parameter by results of vibration measurement by VR unit.

Items	Descriptions
Start 	Start the waiting for trigger condition.
VRT Parameter 	Show VRT parameter values. Parameters are calculated by vibration measurement.
Trigger * tab 	Show the measurement result. * Support the value (1 to 4) specified by “VRT_Trigger” command.
Trigger condition display 	Show the trigger condition. Display is lighted up in green while waiting for trigger. Execute the robot motion program that added VRT_Trigger while the display is lighted up.
Condition display 	Show the execution condition of VR software. <ul style="list-style-type: none"> • In preparation • Waiting for trigger • Reading the vibration data.. • Calculating VRT parameter.. • Reading parameter was completed !! • Stop program! • Stop clicked

Items	Descriptions
<div>Save graph</div> <div><input type="checkbox"/> Save graph</div>	<p>Place a checkmark:</p> <p>Display, save, and output the graph of vibration measurement result on [Saved vibration waveform]. Latest measurement result is overwritten.</p> <p>Do not place a checkmark:</p> <p>Measured results are not displayed, saved, and overwritten.</p>

Graph



Show history of the measured values.

Symbol	Descriptions
a	Acceleration after reaching the destination point. (Vertical axis: Accel mG , Horizontal axis: Time sec)
b	Displacement after reaching the destination point. (Vertical axis: Displacement mm , Horizontal axis: Time sec)
c	Acceleration history that measured after placing a checkmark on [Save graph]
d	Displacement history that measured after placing a checkmark on [Save graph]


Displacement on the graph is calculated by values measured in acceleration. It is not precise value

To measure precise value, use dedicated measurement equipment.

Use displacement value output from this function as rough guide to check VRT function.


Graph extension function:

Right-click inside the graph to display the menu as shown below:



To use the graph data, select [Export]-[Export Data to Excel]. You can use the data in Excel etc.,.

Items	Descriptions	
Copy data	Copy the image(s) of selected graph	
Description and Tip...	Graph descriptions	
Visible Items	Plot Legend	Show the plot name
	Scale Legend	Show legend of each axis scale.
	Graph Palette	Show the palette for operating graph.
	Cursor Legend	Show cursor legend.
	X Scrollbar	Show scroll bar of X-axis
	X Scale	Show X-axis values
	Y Scale	Show Y-axis values
	Unit Label	Show unit
Clear Graph	Clear the displayed graph	
Create Annotation	Create annotations in the graph.	
Delete All Annotations	Delete all annotations created in [Create Annotation].	
AutoScale X	Auto scaling X value	
AutoScale Y	Auto scaling Y value	
Smooth Updates	Reduce to generate flicker when plotting a graph (Speed will be slow.)	
Ignore Time Stamp	Ignore time stamp of X value	
Ignore Attributes	Ignore the attributes of plot name and graph scale.	

Items	Descriptions	
Export	Export Data to Clipboard	Copy the data to clipboard. Use “Paste” to output the data.
	Export Data to Excel	Copy the data to Excel. Excel is started automatically.
	Export Simplified image..	<p>Export the image in the following format.</p> 





How to change the Y-axis scale:







Y-axis scale can be changed by either of the following ways:




- Right-click on the graph and remove a checkmark on [AutoScale Y].
- Double-click the values on the graph and change it directly.




8.2.4 [Short movement] Tab




When the wring is difficult, create a program to measure with short moving distance.




Items	Descriptions
<p>Generate program</p> 	<p>Generate SPEL+ program for short distance motion. Click the button when all settings have completed.</p> <p>Generated program:</p> <pre>C:\EpsonRC80\projects\VRT\VRT_smalldrive.prg</pre> <p>Click the button to pause the software.</p> <p>The following message is displayed.</p> 
<p>Robot No.</p> 	<p>Specify the robot number to measure vibrations (install VR unit).</p> <p>Setting values: 1 to 16</p>
<p>Move instruction</p> 	<p>Select move instruction (motion command) to measure vibration.</p> <p>Options: Go , Move , Jump</p>


Items	Descriptions
Point number of destination point 	Input a point number of the end point (destination point) (motion that has been vibrating). Setting value: integer number
Arm No. 	Set additional arm number of the robot that measures vibration. Setting value: 0 to 15
Tool No. 	Set robot tool number of the robot that measures vibration. Setting value: 0 to 15
Weight 	Set the weight of hand that the arm is installed. Unit: kg
Inertia (Left) 	Left: Set inertia moment around the center of the tip joint including hand and workpiece. (inertia) Unit: kgm ²
(Right) 	Right: Set distance from the center of inertia of hand and workpiece of the center of the tip joint. Unit: mm

Go, Jump: Items	Descriptions
Speed 	Specify as a percentage of maximum motion speed. Setting value: integer number from 1 to 100 Unit: %
Accel 	Specify as a percentage of maximum acceleration. Setting value: integer number 1 or more Unit: %
Decel 	Specify as a percentage of maximum deceleration. Setting value: 1 or more Unit: %

Jump: Items	Descriptions
Departure Speed 	Set speed of departure motion. Setting value: integer number from 1 to 100 Unit: %
Approach Speed 	Set speed of approach motion. Setting value: integer number from 1 to 100 Unit: %
Departure Accel 	Set acceleration of departure motion. Setting value: integer number 1 or more Unit: %

Jump: Items	Descriptions
Approach Accel 	Set acceleration of approach motion. Setting value: integer number 1 or more Unit: %
Departure Decel 	Set deceleration of departure motion. Setting value: integer number 1 or more Unit: %
Approach Decel 	Set deceleration of approach motion. Setting value: integer number 1 or more Unit: %


Move: Items	Descriptions
SpeedS 	Set speed in real number. Unit: mm/sec
AccelerationS 	Set acceleration in real number. Unit: mm/sec^2
DecelerationS 	Set deceleration in real number. Unit: mm/sec^2

Item	Description
Operation step after generating a program 	Steps after clicking the [Generate program] button are displayed. 


8.2.5 Input Window for Motion Command

Items displaying on [Detail data] differ depending on specified command on [Required fields]-[Move instruction].

Go



Move



Jump

Vibration Reading S/W

Vibration Reading S/W (RC+ 8.0 or higher)

Ver. 3.0.1

Select VR Unit COM Port

Robot Connect

IP Address

Y / M / D

H : M : S

Offline

Stop

Read VRT parameter

Short movement

Generate program for short movement

Use when cable setting is difficult. (For short distance excitation)
This program uses a drive program to find the short drive start point.

Generate program

Required fields

Robot No. 1

Command Jump

Destination point no. 1

Detail data

Arm No. 0

Tool No. 0

Weight 1 Kg

Inertia 0 Kg*m^2

0 mm

Speed 30 %

Accel 30 %

Decel 30 %

Departure Speed 30 %

Approach Speed 30 %

Departure Accel 30 %

Approach Accel 30 %

Departure Decel 30 %

Approach Decel 30 %

After clicking "Generate program"

9. SPEL+ Command Reference

VRT	Select VRT number or display the selected VRT number.
VRT Function	Returns the current VRT number.
VRT_Clr	Clear the setting of VRT function.
VRT_CPMotion	Specifies whether enable or disable VRT function during CP motion.
VRT_CPMotion Function	Returns enable or disable VRT function during CP motion.
VRT_Def Function	Returns setting status of selected VRT number.
VRT_Description	Define a description for selected VRT number
VRT_Description\$ Function	Returns description of selected VRT number
VRT_Label	Define a label to selected VRT number.
VRT_Label\$ Function	Returns label of selected VRT number.
VRT_Number Function	Returns VRT number that corresponding VRT label.
VRT_Set	Define VRTPParam1 and VRTPParam2 of VRT function for each VRT number.
VRT_Set Function	Returns setting value of VRTPParam1 and VRTPParam2 that is set for each VRT number.
VRT_Trigger	Output measurement trigger to VR software.

9.1 VRT

Select VRT number or display the selected VRT number.

Syntax

(1) RT VRT number || VRT label

(2) VRT

Parameters

- VRT number

Specify VRT number (total is 16: integer from 0 to 15) to use.

- VRT label

Specify VRT label.

Return Values

When parameters are omitted, the current VRT number is displayed.

Description

VRT function reduces vibration due to robot motion by using VRT parameters that are set for each VRT number. Also, VRT function is disabled when VRT number is “0”.

Note

Effect on VRT number when Power OFF

Selected VRT number does not change if turning OFF the power.

See Also

[VRT_Set](#), [VRT_CPMotion](#)

VRT Example

```
VRT 1  
Go XY(200, 200, 0, 0)
```

9.2 VRT Function

Returns the current VRT number.

Syntax

VRT

Return Values

Returns VRT number by the integer.

See Also

[VRT](#)

VRT Example

```
Print VRT
```

9.3 VRT_Clr

Clear the definition of VRT function.

Syntax

VRT_Clr VRT number ||VRT label

Parameters

- VRT number

Integer expression specifying VRT number to clear. (VRT number 0 is default. Cannot clear.)

- VRT label

Specify VRT label to clear.

See Also

[VRT_Set](#), [VRT_CPMotion](#)

VRT_Clr Example

```
VRT_Clr 1
```

9.4 VRT_CPMotion

Specifies whether enable or disable VRT function during CP motion.

Syntax

(1) VRT_CPMotion

(2) VRT_CPMotion

Parameters

On|Off

- On: Enable VRT function during CP motion.
- Off: Disable VRT function during CP motion.

Return Values

When parameters are omitted, the current VRT_CPMotion definitions are displayed.

Description

VRT function is only available for PTP motion. You need to turn On the VRT_CPMotion to function in CP motion. For details of motion commands that VRT function can perform, refer to the table below.

Motion commands that VRT function can function and cannot function.

Motion command	VRT_CPMotion OFF	VRT_CPMotion ON
Go, BGo, TGo	OK	OK
Jump	OK	OK
JTran	OK	OK
PTran	OK	OK
Move, BMove, TMove	-	OK
FCSMove	-	OK
Arc	-	OK
Arc3	-	OK
CvMove	-	OK
Jump3CP	-	OK
Jump3(JumpTlz)	-	OK

- Initial definition of VRT_CPMotion is OFF.
- If turning VRT_CPMotion ON, automatically SoftCP turns ON.
- Cannot use with conveyor tracking or force control function.

(VRT function automatically disabled.)

Note

Effect on VRT_CPMotion when Power OFF

Definition of selected VRT_CPMotion does not change if turning OFF the power.

See Also

[VRT](#), [VRT_Set](#)

VRT_CPMotion Example

```
VRT_CPMotion On
```

9.5 VRT_CPMotion Function

Returns enable or disable VRT function during CP motion.

Syntax

VRT_CPMotion

Return Values

- 0 = VRT is disabled during CP motion.
- 1 = VRT is disabled during CP motion.

See Also

[VRT](#), [VRT_Set](#)

VRT_CPMotion Example

```
Print VRT_CPMotion
```

9.6 VRT_Def Function

Returns definition status of selected VRT number.

Syntax

VRT_Def (VRT number|VRT label)

Parameters

- VRT number
Integer expression specifying VRT number to return the status.
- VRT label
Specify the VRT label to return the status.

Return Values

Returns “True” when parameter is defined in specified VRT number and returns “False” when parameter is not defined in specified VRT number.

See Also

[VRT_Set](#), [VRT_CPMotion](#)

VRT_Def Example

```
Print VRT_Def(1)
```


9.7 VRT_Description

Define a description for selected VRT number.

Syntax

VRT_Description VRT number |VRT label, "Comment"

Parameters

- VRT number

Integer expression specifying VRT number to description.

(VRT number 0 is default. Cannot define a description.)

- VRT label

Specify VRT label.

- Comment

Define a random character string (except NULL character) that is less than 255 words.

See Also

[VRT_Set](#), [VRT_CPMotion](#)

VRT_Description Example

```
VRT_Description 1, "Comment"
```

9.8 VRT_Description\$ Function

Returns description of selected VRT number.

Syntax

VRT_Description (VRT number|VRT label)

Parameters

- VRT number
Integer expression specifying VRT number to return descriptions.
- VRT label
Specifies VRT label that returns description.

Return Values

Returns defined descriptions of VRT number as a string.

See Also

[VRT_Set](#), [VRT_CPMotion](#)

VRT_Description Example

```
Print VRT_Description$(1)
```

9.9 VRT_Label

Define a label to selected VRT number.

Syntax

VRT_Label VRT number, "Label"

Parameters

- VRT number

Integer expression specifying VRT number to define a label.

(VRT number 0 is default. Cannot define a description.)

- Label

Define a random character string (except NULL character) that is less than 32 words.

See Also

[VRT_Set](#), [VRT_CPMotion](#)

VRT_Label Example

```
VRT_Label 1, "Label"
```

9.10 VRT_Label\$ Function

Returns label of selected VRT number.

Syntax

VRT_Label (VRT number)

Parameters

- VRT number
Integer expression specifying VRT number to return a label.

Return Values

Returns defined VRT label as a string.

See Also

[VRT_Set](#), [VRT_CPMotion](#)

VRT_Description Example

```
Print VRT_Label$(1)
```

9.11 VRT_Number Function

Returns VRT number that corresponding VRT label.

Syntax

VRT_Number(VRT label)

Parameters

VRT label

Specify VRT label to return VRT number.

Return Values

Returns number of specified VRT label.

See Also

[VRT_Set](#), [VRT_CPMotion](#)

9.12 VRT_Set

Define VRTParam1 and VRTParam2 of VRT function for each VRT number.

Syntax

(1) VRT_Set VRT number ||VRT label, VRTParam1, [VRTParam2]

(2) VRT_Set VRT number ||VRT label

(3) VRT_Set

Parameters

- VRT number

Integer number (1 to 15) representing VRT number to define.

(0 is default. Cannot be specified.)

- VRT label

Specify the VRT label to define.

- VRTParam1

Set value of VRTParam1. Definition range is from 100 to 500.

- VRTParam2

Set value of VRTParam2. Definition range is from 100 to 500. Also, VRTParam2 should be defined a value that differs $\pm 10\%$ or more compared to VRTParam1.

Return Values

When parameters are omitted, the current VRT definition value is displayed.

Description

VRT function reduces vibration due to robot motion by using definition value of VRTParam1 and VRTParam2.

See Also

[VRT_Set](#), [VRT_CPMotion](#)

VRT_Set Example

```
VRT_Set 1, 100, 200
```

9.13 VRT_Set Function

Returns definition value of VRTParam1 and VRTParam2 that is define for each VRT number.

Syntax

VRT_Set (VRT number|VRT label, VRTParam)

Parameters

- VRT number

Integer number (1 to 15) representing VRT number to define.

(0 is default. Cannot be specified.)

- VRT label

Specify VRT label.

- VRTParam

Specify VRTParam1 to return VRTParam1.

Specify VRTParam2 to return VRTParam2.

Constant	Value
VRTParam1	1
VRTParam2	2

Return Values

Returns definition value of VRTParam1 or VRTParam2 in integer value.

See Also

[VRT_Set](#), [VRT_CPMotion](#)

VRT_Set Example

```
Print VRT_Set(1, VRTParam1)
```

9.14 VRT_Trigger

Output measurement trigger to VR software.

Syntax

VRT_Trigger(VRTTrigger number)

Parameters

- VRTTrigger number
Integer number (1 to 4) representing VRTTrigger number to define.

Return Values

Output measurement trigger to VR software.

Descriptions

When executing the robot motion by using VRT_Trigger command, Waiting time (approx. 1.5 seconds) occurs. (If releasing from the waiting for trigger condition of VR software, automatically added Waiting time will not occur.)

In the following cases, compile error occurs:

- Use motion command other than Go, Jump, and Move
- Path motion is enabled.
- Use it with Force Control function
- Use Till command
- Use Find command
- Use Sense command
- \Use it with !Parallel Processing!.
- Use it with conveyor tracking function.
- Use it with ECP function.

VRT_Trigger Example

```
Go P1 VRT_Trigger 1
```


10. SPEL+ Command

10.1 Example

Example 1:

VRT number: 1 parameter

Main case: Use VRT function to all motion.

```
Function main
    Motor On
    Power High

    Speed 100
    Accel 100, 100

    VRT_Set 1, 150, 300
    VRT 1
    Go XY(200, 200, 0, 0)
    Go XY(-200, 200, 0, 0)
Fend
```

Example 2:

VRT number: 2 parameter

Main case: Use two VRT parameters. Enable/disable VRT function.

```
Function main
    Motor On
    Power High

    Speed 100
    Accel 100, 100

    VRT_Set 1, 150, 300
    VRT_Set 2, 100, 200
    VRT 1
    Go XY(200, 200, 0, 0)
    Go XY(-200, 200, 0, 0)
    VRT 0
    Go XY(-150, 200, 0, 0)
    VRT 2
    Go XY(-120, 200, 0, 0)
Fend
```

Example 3:

Do not change VRT number and change VRT parameter.

```
Function main
    Motor On
    Power High

    Speed 100
    Accel 100, 100

    VRT_Set 1, 150, 300
    VRT 1
    Go XY(200, 200, 0, 0)
    Go XY(-200, 200, 0, 0)
    VRT_Set 1, 250, 350
    Go XY(-150, 200, 0, 0)
```

```

Go XY(-120, 200, 0, 0)
Fend

```

Example 4:

Use VRT function in CP motion

```

Function main
  Motor On
  Power High

  Speed 100
  Accel 100, 100
  SpeedS 2000
  AccelS 25000, 25000

  VRT_Set 1, 150, 300
  VRT 1
  VRT_CPMotion On

  Go XY(200, 200, 0, 0)
  Move XY(-200, 200, 0, 0)
Fend

```

Note: As shown below, path motion cannot be operated by motions that VRT function automatically “disabled” and “enabled”. (Path motion is “disabled” automatically.)

```

VRT 1
VRT_CPMotion Off

Go P1 CP
Move P2

```

10.2 SPEL+ Command Use Condition List

Command window	Command can be used in the command window.
Program	Command can be used as a statement in the SPEL+ program.
Function	Command can be used as a function.

Command		Command Window		Program	Function
		RC+	TP3/TP4		
V	VRT	○	○	○	○
	VRT_Clr	○	○	○	-
	VRT_CPMotion	○	○	○	○
	VRT_Def	○	○	-	○
	VRT_Description	○	○	○	-
	VRT_Description\$	○	○	-	○
	VRT_Label	○	○	○	-
	VRT_Label\$	○	○	-	○

Command		Command Window		Program	Function
		RC+	TP3/TP4		
	VRT_Number	○	○	-	○
	VRT_Set	○	○	○	○
	VRT_Trigger	○	○	○	-

The following commands cannot be executed in NoEmgAbort task and background task.

- A: Accel, AccelR, AccelS, Arc, Arc3, Arch, Arm, ArmSet, ArmClr, AutoLJM, AvoidSingularity
- B: Base, BGo, BMove, Box, BoxClr, Brake
- C: Cnv_AbortTrack, Cnv_Accel, Cnv_DownStream, Cnv_Fine, Cnv_Mode, Cnv_QueueAdd, Cnv_QueueMove, Cnv_QueueReject, Cnv_QueueUserData, Cnv_Trigger, Cnv_UpStream, CP, Curve, CVMove
- E: ECP, ECPClr, ECPSet
- F: Find, Fine
- G: Go
- H: Home, HomeClr, HomeSet, Hordr
- I: Inertia
- J: JTran, Jump, Jump3, Jump3CP, JRange
- L: LimitTorque, LimZ, LimZMargin, Local, LocalClr
- M: MCal, MCodr, Motor, Move
- O: OLAccel
- P: Pass, Pg_LSpeed, Pg_Scan, Plane, PlaneClr, Power, PTPBoost, Pulse
- Q: QP, QPDecelR, QPDecelS
- R: Range, Reset *1, Restart *2
- S: Sense, SFree, SingularityAngle, SingularitySpeed, SLock, SoftCP, Speed, SpeedFactor, SpeedR, SpeedS, SyncRobots
- T: TC, TGo, Till, TLSet, TLClr, TMove, Tool, Trap
- V: VCal, VcalPoints, VCl, VCreateCalibration, VCreateObject, VCreateSequence, VDefArm, VDefGetMotionRange, VDefLocal, VDefSetMotionRange, VDefTool, VDeleteCalibration, VDeleteObject, VDeleteSeuence, VGet, VGoCenter, VLoad, VLoadModel, VRun, VRT, VRT_Set, VRT_CPMotion, VSave, VSaveImage, VSaveModel, VSet, VShowModel, VStasShow, VStatsReset, VStatsResetAll, VStatsSave, VTeach, VTrain
- W: WaitPos, Weight
- X: Xqt *3, XYLim

*1 Reset Error is executable

*2 Executable from the Trap Error processing task

*3 Executable from the background tasks

See Also

Function/Fend, Halt, Resume, Quit, Startmain, Trap

11. Troubleshooting

11.1 SPEL+ Error Messages

To get remedy for any SPEL+ error, place the cursor on the error message in the run or command window and press the F1 key.

No.	Message	Remedy	Note 1	Note 2
2211	Cannot clear VRT ' 0 '.	The VRT number 0 cannot be cleared. Review the program.		
2212	Cannot clear the specified VRT number while in use.	The VRT cannot be cleared while it is in use. Check whether the VRT is not used.	VRT number	
2214	VRT number is out of range.	Available VRT numbers are from 1 to 15. Review the program.		
2215	Parameter is not defined in specified VRT number.	Parameter is not defined in specified VRT number. Review the VRT number.		
2375	Label name length is out of range	The label name length is 32 words. Review the label name.	1:VRT	
2376	Description length is out of range.	Description length is 255 words. Review the Description.	1:VRT	
2547	The option cannot be used.	Enable the option.	1:VRT	
2554	Duplicate data label. Specified label name is already used. Change the label name.	Change the label name.	1:VRT	
2555	Specified label was not defined. Specify a defined Label.	Specify a defined Label.	1:VRT	
4244	When VRT function was used, Improper acceleration reference was generated.	You attempted to operate the robot with the acceleration reference exceeding the specified value. Decrease the Accel and AccelS value.		
4245	When VRT function was used, Improper speed reference was generated in high power mode.	You attempted to operate the robot with the acceleration reference exceeding the specified value. Decrease the Accel and AccelS or Speed and SpeedS value.		
4246	When the VRT function was used, the route error occurred.	Change the value of VRTParm1 and VRTParm2 or disable the VRT function.		
4247	When the VRT function was used, The internal operation error occurred.	Change the value of VRTParm1 and VRTParm2 or disable the VRT function.		

11.2 Troubleshooting VR Software Errors

VR Software starting error:

If you had the error below when starting VR software, your PC may be equipped with an AMD Ryzen processor. In that case, set the Windows system environment variables as shown in the steps below.




1. Open the environment variables window. (The steps are different for Windows 10 and 11.)

Windows 10:

- i. Open the Control Panel.
- ii. Select [System and Security]-[System]-[About]-[Advanced system settings]-[Advanced]-[Environment Variables].
- iii. "Environment Variables" window will open.

Windows 11:


- i. Open the Windows Settings.
- ii. Select [System]-[About]- [Advanced system settings]-[Advanced]-[Environment Variables].
- iii. "Environment Variables" window will open.




4. Click [New] of [Environment Variables] (the circle in the above figure). Following "New System Variable" window will open.


Enter as follows and click the [OK] button.


- Variable name: MKL_DEBUG_CPU_TYPE
- Variable value: 4




This section describes errors occurred in VR software and countermeasures.



Connection error of VR unit		
Error display		VR Unit COM Port is not defined! Unit Sampling Mode Error
Countermeasure	Confirm that USB cable is connected properly. When the cable is connected properly, red lamp is lighted up in the back of USB connection part of VR unit. If there is no problem with the connection, execute VR software again. Select COM Port number of VR unit on VR software-[Select COM Port].	

Connection error with Robot		
Error display		Robot Connection Error!! Proxy initialization error! Check robot Connection.


Connection error with Robot	
Countermeasure	Make sure that the connection methods of VR software-[Robot Connect] and Epson RC+ - the robot are the same. When changing the settings, execute VR software again.
Other error	
Error display	
Countermeasure	If VRT_Trigger command is not executed for 3 minutes by Epson RC+ with waiting for Trigger condition, "Time Out" error occurs. Execute VR software again.

11.3 VR Unit Confirmation

There is software to confirm whether sensor of VR unit is broken.

VR unit has function to measure acceleration. Read acceleration of gravity and determine whether the VR unit is normal.


- Follow the either way to activate the software for the sensor confirmation.
 - With Epson RC+ 8.0, click the [Robot Manager]-[VRT]-[Test] button.
 - Activate " C : \EpsonRC80\exe\VRU_OpCheck.exe "



- Place the VR unit to position where the unit can stand still.


If the unit does not move, you can place the unit on tilted surface. At this time, you can check the VR unit even if it is not installed on the robot.

- Connect the VR unit and PC with USB cable.
- Select USB COM number of VR unit on [Unit setting –Select COM Port].




5. Click the [Start] button to start measurement.

5 seconds after starting the measurement, measurement results are displayed on [Check result].




When “OK!” is displayed:

VR unit operates properly.



When “Retry” is displayed:

VR unit may not be stood still.



Click the Execution button  and the [Start] button.


If “OK” is not displayed on [Check result] after clicking the Execution button and the [Start] button repeatedly, please contact us.

6. Ends the sensor confirmation software.


11.4 Confirmation of Saved Controller Condition

You can confirm the conditions of saved controller.

1. Select Epson RC+ 8.0 menu-[Tools]-[Controller] menu to open the [Controller Tools] dialog.



2. Click on the [View Controller Status] button to open the [Browse For Folder] dialog.



3. Select the folder where the information is stored.

B_controller type_controller serial number_date/time


KEY POINTS

You can choose the folder that stored Controller status information.

BU_controller type_controller serial number_date/time

4. Click [OK] to view the selected controller status.

5. The [Controller Status Viewer] dialog will be displayed.



- 6. Select items to view from the tree on the left side of the dialog.
- 7. To view another controller status, click the [...]button next to the [Status Folder] and select a new status folder.