

## DECLARATION OF INCORPORATION OF PARTLY COMPLETED MACHINERY

## DEKLARACJA WŁĄCZENIA MASZYNY NIEUKOŃCZONEJ

According to the Machinery Directive 2006/42/EC, Annex II ,Part1,sector B for a partly completed machinery.  
*Zgodnie z Dyrektywą Maszynową 2006/42/WE, załącznik II, część 1, sekcja B dla maszyny nieukończonych.*

Manufacturer /Producent:	SEIKO EPSON CORPORATION	<a href="http://www.epson.com">www.epson.com</a>	
Address /Adres:	3-5, Owa 3-chome, Suwa-shi Nagano-ken 392-8502 Japan	Telephone /Telefon:	+81-266-52-3131

Representative /Przedstawiciel:	EPSON EUROPE B.V.	<a href="http://www.epson.eu">www.epson.eu</a>	
Address /Adres:	Atlas Arena, Asia Building, Hoogoorddreef 5,1101 BA Amsterdam Zuidoost The Netherlands	Telephone /Telefon:	+31-20-314-5000

This declaration of incorporation is issued under the sole responsibility of the manufacturer.  
*Niniejsza deklaracja włączenia została wydana na wyłączną odpowiedzialność producenta.*

Brand Name /Nazwa handlowa:	EPSON		
Product Name /Nazwa produktu:	Industrial Robot/ Robot Controller		
Model /Model:	GX1-C,GX4-C,GX8-C,GX10-C,GX20-C	(Serial number G*****0001 - G*****9999)	
	R131x(x=A or AN or B or C)(RC800-A)	(Serial number R8A*****0000 - R8A*****FFFF)	
		<Note> * : 0 - 9, A - Z	

For more details, please refer to the product description  
*Aby uzyskać więcej informacji, zapoznaj się z opisem produktu*

Options /Opcje:  
See Technical Data File

Fulfills the following essential health and safety requirements of the Machinery Directive 2006/42/EC:

*Spełnia następujące zasadnicze wymagania dotyczące zdrowia i bezpieczeństwa określone w dyrektywie maszynowej 2006/42/WE:*  
1.1.2, 1.1.3, 1.1.5, 1.1.6, 1.2.1, 1.2.2, 1.2.3, 1.2.4.1, 1.2.4.3, 1.2.5, 1.2.6, 1.3.1, 1.3.2, 1.3.3, 1.3.4, 1.3.6, 1.3.7, 1.3.9, 1.5.1, 1.5.2, 1.5.4, 1.5.6, 1.5.8, 1.5.9, 1.5.10, 1.5.11, 1.6.1, 1.6.2, 1.6.3, 1.6.4, 1.7.1, 1.7.1.1, 1.7.2, 1.7.3, 1.7.4

The manufacturer undertakes to electronically supply the relevant technical documentation, referred to in Annex VII part B for the partly completed machinery, to national authorities upon reasoned request.

*Producent zobowiązuje się do dostarczenia drogą elektroniczną organom krajowym, na uzasadniony wniosek, odpowiedniej dokumentacji technicznej, o której mowa w załączniku VII część B, dotyczącej maszyny nieukończonych.*

This partly completed machine must not be put into service until the machinery into which it is to be incorporated, has been declared in conformity with the provisions of the Machinery Directive.

*Niniejsza maszyna nieukończona nie może zostać oddana do użytku, dopóki maszyna, do której ma zostać wbudowana, nie zostanie uznana za zgodną z przepisami Dyrektywy Maszynowej.*

Furthermore this partly completed machinery fulfils all relevant provisions of the directive:

*Ponadto ta maszyna nieukończona spełnia wszystkie istotne postanowienia dyrektywy:*

- Electromagnetic Compatibility (EMC) 2014/30/EU
- Restriction of the use of certain hazardous substances (RoHS)2011/65/EU

Following harmonized norms and specifications are applied:

*Stosowane są następujące zharmonizowane normy i specyfikacje:*

Safety:		EMC:	
EN ISO 10218-1	2011	EN 55011	2016/A1:2017/A11:2020 Group1 Class A
EN ISO 12100	2010	EN 61000-6-2	2005
EN 60204-1	2018	EN 61000-6-4	2007/A1:2011
EN ISO 13850	2015	EN 61000-6-7	2015
EN 61800-5-1	2007/A11:2021		
EN 61800-5-2	2017	RoHS:	
EN ISO 13849-1	2015	EN IEC 63000	2018
IEC 62061	2021		

Supplementary Information /Informacje dodatkowe

The year in which the CE marking was affixed, is 2025 Rok, w którym umieszczono oznakowanie CE, to 2025  
15 June 2026  
Nagano-ken, Japan

*Ozawa Hiroyuki*

Hiroyuki Ozawa  
R CS Quality Assurance Department  
General Manager  
SEIKO EPSON CORPORATION

Declared based on "Technical Data File, 15 June 2026 " Deklarowane na podstawie „Technical Data File, 15 June 2026 "

## Annex to manipulator type

GX1-C □ □ □ □ □  
a b c d e

GX1-C:GX series robots (1.0kg payload for 4-axes, 1.5kg payload for 3-axes)

a	: Arm length	17	175mm
		22	225mm
b	: Axis#3 stroke	1	: 100mm(80mm)
			* () Is Clean, with bellows option
c	: Environment	S	: Standard (equivalent to IP20)
		C	: Clean+ESD
d	: Axis type	None	4-axes
		Z	3-axes
e	: BNS Food grease Type	None	: None
		-FZ	: BNS Food grease Type

GX4-C □ □ □ □ □ □ □ □  
a b c d e f g h

GX4-C:GX series 4kg payload robots

a	: Arm length	25	: 250mm
		30	: 300mm
		35	: 350mm
b	: Axis#3 stroke	1	: 150mm(120mm)
			* () Is Clean, with bellows option
c	: Environment	S	: Standard (equivalent to IP20)
		E	: Standard(IP20)+ESD
		C	: Clean+ESD
d	: Mounting	None	: Table top mounting
		M	: Multiple mounting
e	: Cable mounting direction	None	: Standard(Table top mounting -back out, multi-top out)
		B	: Table top mounting -bottom out
f	: Arm type	None	: Straight
		-L	: Left carving
		-R	: Right carving
g	: Variation	None	: None
		/X5	: For Specific Customers (GX4-C351C-L only)
		/X26	: For Specific Customers (GX4-C251CB only)
		/X30	: For Specific Customers (GX4-C251C only)
h	: BNS Food grease Type	None	: None
		-FZ	: BNS Food grease Type

GX8-C     a     b     c     d     e     f

GX8-C: GX series 8kg payload robots

a	: Arm length	45 55 65	: 450mm : 550mm : 650mm
b	: Axis#3 stroke	2 3	: 200mm(170mm) : 330mm(300mm) * ( ) Is Clean,IP, with bellows option
c	: Environment	S E C P	: Standard (equivalent to IP20) : Standard(IP20)+ESD : Clean+ESD : Protected(IP65)
d	: Mounting	None W R	: Table top mounting : Wall mounting : Ceiling mounting
e	: Cable mounting direction	None B	: Standard(Table top mounting -back out, Ceiling mounting - back out, multi-top out) : Table top mounting -bottom out
f	: BNS Food grease Type	None -FZ	: None : BNS Food grease Type

GX10-C     a     b     c     d     e     f

GX10-C: GX series 10kg payload robots

a	: Arm length	65 85	: 650mm : 850mm
b	: Axis#3 stroke	1 4	: 180mm(150mm) 250 mm (GX10-C851S-Z250mm only) : 420mm(390mm) * ( ) Is Clean,IP, with bellows option
c	: Environment	S C P	: Standard (equivalent to IP20) : Clean+ESD : Protected(IP65)
d	: Mounting	None W R	: Table top mounting : Wall mounting : Ceiling mounting
e	: Variation	None -Z250mm	: Standard : For Specific customers (Custom model with Axis#3 stroke at 250mm.GX10-C851S-Z250mm only)
f	: BNS Food grease Type	None -FZ	: None : BNS Food grease Type

## GX20-C

□ □ □ □ □  
a b c d e

GX20-C: GX series 20kg payload robots

a	: Arm length	85	: 850mm
		A0	: 1000mm
b	: Axis#3 stroke	1	: 180mm(150mm)
		4	: 420mm(390mm)
			* ( ) Is Clean,IP, with bellows option
c	: Environment	S	: Standard (equivalent to IP20)
		C	: Clean+ESD
		P	: Protected(IP65)
d	: Mounting	None	: Table top mounting
		W	: Wall mounting
		R	: Ceiling mounting
e	: BNS Food grease Type	None	: None
		-FZ	: BNS Food grease Type

## Annex to controller type

R131   
a

a : Controller Type

- A : RC800-A for GX4 series
- AN : RC800-A for GX4-C251CB/X26  
RC800-A for GX4-C251C/X30  
(No third party certification)
- B : RC800-A for GX8, GX10, GX20 series
- C : RC800-A for GX1 series

## Annex to options

RC800-A

<p>For industrial robot:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> External Wiring Unit</li> <li><input type="checkbox"/> Tool Adapter</li> <li><input type="checkbox"/> M/C Cable</li> <li><input type="checkbox"/> Camera Mounting Bracket</li> <li><input type="checkbox"/> Bellows</li> </ul>	<p>For robot controller:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Expansion I/O</li> <li><input type="checkbox"/> RS-232C</li> <li><input type="checkbox"/> Analog I/O</li> <li><input type="checkbox"/> Pulse Generation</li> <li><input type="checkbox"/> Fieldbus module (DeviceNet, PROFIBUS-DP, CC-Link, PROFINET, EtherNet/IP, EtherCAT)</li> <li><input type="checkbox"/> Teach pendant TP2, TP4</li> <li><input type="checkbox"/> Emergency stop box, cable</li> <li><input type="checkbox"/> wall mounting bracket</li> <li><input type="checkbox"/> Conveyor Tracking kit</li> <li><input type="checkbox"/> Hot Plug Kit</li> <li><input type="checkbox"/> SRCI</li> </ul>
---	---

**DECLARATION of CONFORMITY**  
**DEKLARACJA ZGODNOŚCI**

Manufacturer /Producent:	SEIKO EPSON CORPORATION	<a href="http://www.epson.com">www.epson.com</a>	
Address /Adres:	3-5, Owa 3-chome, Suwa-shi Nagano-ken 392-8502 Japan	Telephone /Telefon:	+81-266-52-3131

Representative /Przedstawiciel:	EPSON EUROPE B.V.	<a href="http://www.epson.eu">www.epson.eu</a>	
Address /Adres:	Atlas Arena, Asia Building, Hoogoorddreef 5,1101 BA Amsterdam Zuidoost The Netherlands	Telephone /Telefon:	+31-20-314-5000

This declaration of conformity is issued under the sole responsibility of the manufacturer:  
*Niniejsza deklaracja zgodności jest wydawana na wyłączną odpowiedzialność producenta:*

Brand Name /Nazwa handlowa:	EPSON
Product Name /Nazwa produktu:	Robot Controller
Model /Model:	R131x(x=A or AN or B or C)(RC800-A) (Serial number R8A***0000 - R8A***FFFF ) <Note> * : 0 - 9, A - Z
	For more details, please refer to the product description <i>Aby uzyskać więcej informacji, zapoznaj się z opisem produktu</i>

Options /Opcje:  
See Technical Data File


Conforms to the following Directive(s) and Norm(s) /Jest zgodny z następującymi dyrektywami i normami:  
Electromagnetic Compatibility (EMC) 2014/30/EU  
EN 55011 2016/A1:2017/A11:2020 Group 1 Class A  
EN 61000-6-2 2005  
EN 61000-6-4 2007/A1:2011  
EN 61000-6-7 2015

Restriction of the use of certain hazardous substances (RoHS)2011/65/EU  
EN IEC 63000 2018

Supplementary Information /Informacje dodatkowe

The year in which the CE marking was affixed, is 2025  
15 June 2026  
Nagano-ken, Japan

*Rok, w którym umieszczono oznakowanie CE, to 2025*

  
Hiroyuki Ozawa  
R CS Quality Assurance Department  
General Manager  
SEIKO EPSON CORPORATION

Declared based on "Technical Data File, 15 June 2026 "

*Deklarowane na podstawie „Technical Data File, 15 June 2026 "*