

**DECLARATION OF INCORPORATION OF PARTLY COMPLETED MACHINERY**  
*DECLARAÇÃO DE INCORPORAÇÃO DE MÁQUINA PARCIALMENTE COMPLETADA*

According to the Machinery Directive 2006/42/EC, Annex II, Part I, sector B for a partly completed machinery.  
*De acordo com a diretiva de máquinas 2006/42 / CE da, AnexoII, Parte I, setor B para um equipamento parcialmente concluído.*

Manufacturer /Fabricante:	SEIKO EPSON CORPORATION	<a href="http://www.epson.com">www.epson.com</a>	
Address /Endereço:	3-5, Owa 3-chome, Suwa-shi	Telephone /Telefone:	+81-266-52-3131
	Nagano-ken 392-8502 Japan	Fax /Fax:	+81-266-52-8409
Representative /Representante:	EPSON EUROPE B.V.	<a href="http://www.epson.eu">www.epson.eu</a>	
Address /Endereço:	Atlas Arena, Asia Building,	Telephone /Telefone:	+31-20-314-5000
	Hoogoorddreef 5,1101 BA Amsterdam Zuidoost The Netherlands		

This declaration of incorporation is issued under the sole responsibility of the manufacturer.  
*A presente declaração de incorporação é emitida sob a exclusiva responsabilidade do fabricante.*

Brand Name /Marca:	EPSON		
Product Name /Nome do Produto:	Industrial Robot/Robot Controller		
Model /Modelo:	GX4-B,GX8-B,GX10-B,GX20-B	(Serial number G****0001 - G****9999)	
	R114x(x=A or B)(RC700-E)	(Serial number R7E***0001 - R7E***9999)	
		<Note> * : 0 - 9, A - Z	

For more details, please refer to the product description  
*Para mais informação, por favor, consulte a descrição de produto*

Options /Opções:  
See Technical Data File

Fulfills the following essential health and safety requirements of the Machinery Directive 2006/42/EC:  
*Cumpra os seguintes requisitos essenciais de saúde e segurança da Diretiva de Máquinas 2006/42/CE:*

- 1.1.2, 1.1.3, 1.1.5, 1.1.6, 1.2.1, 1.2.2, 1.2.3, 1.2.4.1, 1.2.4.3, 1.2.5, 1.2.6, 1.3.1, 1.3.2, 1.3.3, 1.3.4, 1.3.6, 1.3.7, 1.3.9, 1.5.1, 1.5.2, 1.5.4, 1.5.6, 1.5.8, 1.5.9, 1.5.10, 1.5.11, 1.6.1, 1.6.2, 1.6.3, 1.6.4, 1.7.1, 1.7.1.1, 1.7.2, 1.7.3, 1.7.4

The manufacturer undertakes to electronically supply the relevant technical documentation, referred to in Annex VII part B for the partly completed machinery, to national authorities upon reasoned request.

*O fabricante compromete-se a fornecer eletronicamente a documentação técnica relevante, referida no anexo VII, parte B, para máquinas parcialmente completas, às autoridades nacionais, mediante pedido fundamentado.*

This partly completed machine must not be put into service until the machinery into which it is to be incorporated, has been declared in conformity with the provisions of the Machinery Directive.

*Este equipamento parcialmente completo não deve ser colocada em serviço até que a máquina na qual ela será incorporada tenha sido declarada em conformidade com as disposições da Diretiva de Máquinas.*

Furthermore this partly completed machinery fulfils all relevant provisions of the directive:  
*Além disso, esta máquina parcialmente concluída cumpre todas as disposições relevantes da diretiva:*


- Electromagnetic Compatibility (EMC) 2014/30/EU
- Restriction of the use of certain hazardous substances (RoHS)2011/65/EU

Following harmonized norms and specifications are applied:  
*As seguintes normas e especificações harmonizadas são aplicadas:*

Safety:				EMC:	
EN ISO 10218-1	2011	IEC 61508-1	2010	EN 55011	2016/A1:2017/A11:2020 Group1 Class A
EN ISO 12100	2010	IEC 61508-2	2010	EN 61000-6-2	2005
EN 60204-1	2018	IEC 61508-3	2010	EN 61000-6-4	2007/A1:2011
EN ISO 13850	2015			EN 61000-6-7	2015
EN 61800-5-1	2007/A1:2017				
EN 61800-5-2	2017			RoHS:	
EN ISO 13849-1	2015			EN IEC 63000	2018
IEC 62061	2021				

Supplementary Information */Informação suplementar*

The year in which the CE marking was affixed, is 2023 *O ano em que a marca CE foi concedida é* 2023  
9 December 2025  
 Nagano-ken, Japan



Hiroyuki Ozawa  
MS CS Quality Assurance Department  
General Manager  
SEIKO EPSON CORPORATION

Declared based on "Technical Data File, 9 December 2025 " *Declarado com base a "Technical Data File, 9 December 2025 "*

## Annex to manipulator type

	<u>GX</u>	<u>4</u>	-	<u>B</u>	<u>25</u>	<u>1</u>	<u>S</u>	<u>□</u>	<u>□</u>	<u>□</u>	<u>□</u>	<u>□</u>
	<u>a</u>	<u>b</u>			<u>c</u>	<u>d</u>	<u>e</u>	<u>f</u>	<u>g</u>	<u>h</u>	<u>i</u>	<u>j</u>
a	: Series name			GX								
b	: Payload			4	: 4kg							
c	: Arm length			25	: 250mm							
				30	: 300mm							
				35	: 350mm							
d	: Axis#3 stroke			1	: 150mm(120mm)							
					* () Is Clean, with bellows option							
e	: Environment			S	: Standard (equivalent to IP20)							
				E	: Standard(IP20)+ESD							
				C	: Clean+ESD							
f	: Mounting			None	: Table top mounting							
				M	: Multiple mounting							
g	: Cable mounting direction			None	: Standard(Table top mounting -back out, multi-top out)							
				B	: Table top mounting -bottom out							
h	: Arm type			None	: Straight							
				-L	: Left carving							
				-R	: Right carving							
i	: Variation			None	: None							
				/X5	: For Specific customers (GX4-B351C-L only)							
j	: BNS Food grease Type			None	: None							
				-FZ	: BNS Food grease Type							

	<u>GX</u>	<u>8</u>	-	<u>B</u>	<u>45</u>	<u>2</u>	<u>S</u>	<u>□</u>	<u>□</u>	<u>□</u>
	<u>a</u>	<u>b</u>			<u>c</u>	<u>d</u>	<u>e</u>	<u>f</u>	<u>g</u>	<u>h</u>
a	: Series name			GX						
b	: Payload			8	: 8kg					
c	: Arm length			45	: 450mm					
				55	: 550mm					
				65	: 650mm					
d	: Axis#3 stroke			2	: 200mm(170mm)					
				3	: 330mm(300mm)					
					* () Is Clean,IP, with bellows option					
e	: Environment			S	: Standard (equivalent to IP20)					
				E	: Standard(IP20)+ESD					
				C	: Clean+ESD					
				P	: Protected(IP65)					
f	: Mounting			None	: Table top mounting					
				W	: Wall mounting					
				R	: Ceiling mounting					
g	: Cable mounting direction			None	: Standard(Table top mounting -back out, Ceiling mounting - back out, multi-top out)					
				B	: Table top mounting -bottom out					
h	: BNS Food grease Type			None	: None					
				-FZ	: BNS Food grease Type					

# EPSON

GX 10 - B 65 1 S □ □ □  
 a b c d e f g h

a	: Series name	GX	
b	: Payload	10	: 10kg
c	: Arm length	65	: 650mm
		85	: 850mm
d	: Axis#3 stroke	1	: 180mm(150mm) 250mm(GX10-B851S-Z250mm only)
		4	: 420mm(390mm)
			* () Is Clean,IP, with bellows option
e	: Environment	S	: Standard (equivalent to IP20)
		C	: Clean+ESD
		P	: Protected(IP65)
f	: Mounting	None	: Table top mounting
		W	: Wall mounting
		R	: Ceiling mounting
g	: Variation	None	: Standard (equivalent to IP20)
		-Z250mm	: For Specific customers (Custom model with Axis#3 stroke at 250mm.GX10-B851S-Z250mm only)
h	: BNS Food grease Type	None	: None
		-FZ	: BNS Food grease Type

GX 20 - B 85 1 S □ □  
 a b c d e f g

a	: Series name	GX	
b	: Payload	20	: 20kg
c	: Arm length	85	: 850mm
		A0	: 1000mm
d	: Axis#3 stroke	1	: 180mm(150mm)
		4	: 420mm(390mm)
			* () Is Clean,IP, with bellows option
e	: Environment	S	: Standard (equivalent to IP20)
		C	: Clean+ESD
		P	: Protected(IP65)
f	: Mounting	None	: Table top mounting
		W	: Wall mounting
		R	: Ceiling mounting
g	: BNS Food grease Type	None	: None
		-FZ	: BNS Food grease Type

## Annex to controller type

R 1 1 4 A  
a

a : Controller Type

A : RC700-E FOR GX4 series

B : RC700-E FOR GX8 series, GX10 series, GX20 series

## Annex to hardware options

<p>For industrial robot:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> External Wiring Unit</li> <li><input type="checkbox"/> Tool Adapter</li> <li><input type="checkbox"/> M/C Cable</li> <li><input type="checkbox"/> Camera Mounting Bracket</li> <li><input type="checkbox"/> Bellows</li> </ul>	<p>For robot controller:</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Expansion I/O</li> <li><input type="checkbox"/> RS-232C</li> <li><input type="checkbox"/> Analog I/O</li> <li><input type="checkbox"/> Fieldbus I/O Slave (PROFIBUS-DP, DeviceNET, CC-LINK, EtherNet/IP, PROFINET, EtherCAT)</li> <li><input type="checkbox"/> Fieldbus I/O Master (PROFIBUS-DP, DeviceNET, EtherNet/IP)</li> <li><input type="checkbox"/> Teach pendant TP2, TP3, TP4</li> <li><input type="checkbox"/> Emergency stop box, cable</li> <li><input type="checkbox"/> wall mounting bracket</li> <li><input type="checkbox"/> PG Board, Conveyor Tracking</li> <li><input type="checkbox"/> Hot Plug Kit</li> </ul>
---	---

## DECLARATION of CONFORMITY

*Declaração de conformidade*

Manufacturer /Fabricante:	SEIKO EPSON CORPORATION	<a href="http://www.epson.com">www.epson.com</a>	
Address /Endereço:	3-5, Owa 3-chome, Suwa-shi Nagano-ken 392-8502 Japan	Telephone /Telefone:	+81-266-52-3131
		Fax /Fax:	+81-266-52-8409

Representative /Representante:	EPSON EUROPE B.V.	<a href="http://www.epson.eu">www.epson.eu</a>	
Address /Endereço:	Atlas Arena, Asia Building, Hoogoorddreef 5,1101 BA Amsterdam Zuidoost The Netherlands	Telephone /Telefone:	+31-20-314-5000

This declaration of conformity is issued under the sole responsibility of the manufacturer:

*Esta declaração de conformidade é emitida sob a exclusiva responsabilidade do fabricante.*

Brand Name /Marca:	EPSON	
Product Name /Nome do Produto:	Robot Controller	
Model /Modelo:	R114x(x=A or B)(RC700-E)	(Serial number R7E***0001 - R7E***9999 ) <Note> * : 0 - 9, A - Z

For more details, please refer to the product description

*Para mais informação, por favor, consulte a descrição de produto*

## Options /Opções:

See Technical Data File

Conforms to the following Directive(s) and Norm(s) /Em conformidade com a(s) seguinte(s) Directiva(es) e Norma(s):

Electromagnetic Compatibility (EMC) 2014/30/EU

EN 55011	2016/A1:2017/A11:2020 Group1 Class A
EN 61000-6-2	2005
EN 61000-6-4	2007/A1:2011
EN 61000-6-7	2015

Restriction of the use of certain hazardous substances (RoHS)2011/65/EU

EN IEC 63000	2018
--------------	------

Supplementary Information /Informação suplementar

The year in which the CE marking was affixed, is 2023

9 December 2025

Nagano-ken, Japan

*O ano em que a marca CE foi concedida é 2023*



Hiroyuki Ozawa  
MS CS Quality Assurance Department  
General Manager  
SEIKO EPSON CORPORATION

Declared based on "Technical Data File, 9 December 2025 "

*Declarado com base a "Technical Data File, 9 December 2025 "*